



SWIMLIFE

SWIMSPAS

FOR AN EXTRAORDINARY LIFE



Your SwimLife[™] starts now



Your style, your swim spa

SwimLife™ swim spas are ideal to get in shape or keep fit in the comfort of your home. They are easy to install, require minimal maintenance, and can be used all year long!

Two collections have been designed to meet different user requirements: SwimFit, ideal for families and swimming lovers - SwimExpert, for very demanding users looking for professional performance.

Designed to offer the ultimate benefits of a swim spa: you will never have to turn, touch the walls or push yourself forwards! The current offers you optimal swimming conditions suitable for any fitness level.

The large inside surface and the non-slip base are also perfect for aqua fitness. Thanks to the current that can be adjusted to suit the desired intensity of your session, it's ideal for training. Our swim spa is safe and a great environment to teach children how to swim.



SwimFit

Fit for life's experiences

The Ideal Universal Aquatic Gym

With a generous streamlined swim tank area and a flat ergonomically designed anti-slip floor that allows for a variety of fitness exercises. Creating the ideal training environment with a fully adjustable current, you can control your workout intensity. Additionally, the swimspa is a safe and easy environment in which to teach your children how to swim.



SwimBoost Pump Design

- One 3hp SwimBoost pump
- Producing up to 180 gallons / per minute per jet
- One 3hp buoyancy pump
- Located close to jets



AquaFlex Jet Technology

- Two AquaFlex swim jets
- Oval design flattens the water for a smoother swim

Variable Current

- JetFlex swim system
- 3.5 mph / 5 kph
- Adjustable speed
- Vary flow of water and adjust the intensity

AquaChannel Shell Design

- No reflective wave
- Keeps swimmer in swim lane
- Largest unobstructed swim tank
- Stabilization hip jets





SwimExpert

Bringing your swim to life

Experience an Extraordinary Swim

Designed to bring your swim to life with proven technology, imagine never having to turn, touch or push off from any wall.

The swim current is as natural as nature itself and provides you the ability to focus on your stroke and enjoy the fluidity of the swim current adjusted to your personal swim level.



SwimBoost Pump Design

- Two 3hp SwimBoost pumps
- Producing up to 360 gallons /per minute per jet
- One 3hp buoyancy pump
- Located close to the jets



AquaCurrent® Jet Technology

- Two patented AquaCurrent® swim jets
- AquaBlades shred the vortex created by the pump
- Wider, deeper and smoother current than any other system on the market
- Buoyancy jet backlit to light the swim current

WaveRider Current Control

- 0 -11mph (0 – 18kph)
- Allows the user to vary the flow at the touch of a button
- Adjustable to the level of the swimmer from novice to triathlete
- WaveRider standard on all SwimExperts



SwimChannel Shell Design

- No reflective wave
- Keeps swimmer in swim lane
- Largest unobstructed swim tank
- Stabilization hip jets



Enjoy life

SwimLife™ is all about changing how the industry sells and promotes swimspas. Determined to improve the lives of our customers with the promise of leading edge technology and offering a different approach to owning a SwimLife™ Swimspa. We want to be seen as the brand spearheading innovations in swimspa technology, like our hydraulically balanced plumbing which ensures the correct water pressure to the hydrotherapy jets or the WaveRider control. That offers the user finger tip control of the swim current from inside the swim area. Swimlife™ is in the swimspa business for life and the only way to ensure success is to produce, offer and innovate the highest quality swimspas possible.

Circuit Training

Aquatic Circuit Training

Is a fast-paced set of exercises in which you do one exercise for 30 seconds to 3 minutes and then move on to the next exercise. You begin at a station (a place where a specific exercise is done), and when you complete it, you move to the next station (next exercise). We have developed circuits that alternate between aerobic activity (like stepping or stationary jogging) with strength building exercises (using resistance bands).

Challenges:

- Six week challenge
- Twelve week challenge
- Fat burn challenge
- Weight loss challenge



Zone 1

Swim tank cardio
SunTan - superman exercise



Aqua Fitness
Exercise kit



Zone 2

Seating area:
Seated knee tucks



Zone 3

Side wall abductor /
adductor exercises
Standing calf raises



Zone 6

Upper rung at the seat end with
resistance band
Chest press and low rows




Zone 5

Top side latch
resistance band
Chest flies



Zone 4

Steps area:
Lateral step up exercises



Zone 1

Massage

The SwimLife™ swim spa massage is like no other in the industry.

There are 3 areas that make up a great massage. The jets, the jet placement and the seating.
The combination of these three aspects set the industry standard for hydrotherapy in a swim spa.



The perfect mixture of water and air

E-CLASS JETTING

- Exclusive e-class jets use a perfect mixture of air and water
- Designed to give a balance between a deep and soft tissue massage



Jet patterns are designed to work different

JET PLACEMENT

- Designed to work different muscle groups
- Arranged in a pattern to give superior hydrotherapy benefits



Ergonomically designed seating

COMFORT WITH YOU IN MIND

- Multi Level seating for people of different heights
- Recessed jetting



Filtration

Bring a new meaning of clean to life with the ClearStream filtration system.

Experience the clean, clear micro-filtration system of SwimLife™. With its unique dual filtration technology you can be assured that our swimspas will provide you with a clean and safe aquatic experience.

Dual Filtration

- Located on either side of the swimspa
- The flow directs debris and oils towards the side of the swimspa for removal by the dual skimmers
- Increases flow rate of water to the pumps



Dual Skimmers

NO NEED FOR SKIM NET

- Pulls any debris off the surface water of the swimspa
- Less time cleaning
- More time swimming



Dual Strainer Racks

- Traps large debris before it gets to the pump
- Less time cleaning the filter
- Extends cleaning cycles



100 Sq. Foot of Filtration

- 2 x 50 square foot filters
- Easy access
- Out of contact and sight of the user



Mineral based system - ClearBlue

- No Chlorine or Bromine smell
- Mineral ions are neutral and don't affect pH levels
- Helps control algae / bacteria
- Cuts chemical use in half
- Plumbed into your filtration system

Thermalmax™ heat management system

A SwimLife™ swimspa is designed for year-a-round enjoyment

Life does not end with the onslaught of winter. The engineering that goes into our SwimLife™ swimspa ensures 365 days a year use and enjoyment. You might feel inclined to spend the winter hibernating but one doesn't invest in a great quality swimspa just to have it closed all winter, right? In fact wintertime is the most pleasurable season to use your swimspa. Immerse yourself in the benefits of an all season swimming pool, hot tub and exercise pool - all in one, right in your own backyard.



Northern HeatSync Blanket

MADE FOR THE HARSHTEST CLIMATES

- Reflects the waste heat of the pumps back into the swimspa
- Increases insulation value
- Decreases the need for the swimspa heater



High Temperature Surface Insulation

WRAPS THE SWIMTANK

- 2lb closed cell foam on the shell of the swimspa
- Helps the swim tank retain heat
- Great r-value*

* The capacity of an insulating material to resist heat flow. The higher the r-value, the greater the insulating power.



Stormshield Hardcover

FOR ALL WEATHER SWIMSPAS

- Safety locks on all sides
- Locks heat in – keeps cold out
- Heavy duty tapered safety locking cover



Heat Retention System

USING THERMALMAX TECHNOLOGY

- Creates a convection oven in the cabinet
- Utilises the waste heat that the motors create
- Black plumbing (pipes) absorb the heat created by the swimspa motors



Thermalmax Vents

TELESCOPIC VENT CONTROLS

- Lock the heat in during fall and winter
- Let the motors breathe in the spring and summer
- Maximise energy efficiency for any season

For greater insulation:

When installing the swimspa be sure to use a polartec mat that sits between the bottom of the swimspa and the concrete pad this will provide the best insulation barrier possible between your swimspa and the ground.



SWIMFIT 14



Shell dimension:

441.96 cm x 236.22 cm

Height:

133.98 cm

Volume:

7220 L

Weight full:

8369 kg

Weight empty:

1149 kg

Size category:

14


Hydrotherapy seating:

2 person

Prices from £26,499 inc VAT*



SWIMEXPERT 14



Shell dimension:

441.96 cm x 236.22 cm

Height:

133.98 cm

Volume:

7220 L

Weight full:

8369 kg

Weight empty:

1149 kg

Size category:

14

Hydrotherapy seating:

2 person

Prices from £31,199 inc VAT*



SWIMFIT 17



Shell dimension:
533.40 cm x 236.22 cm

Height:
133.98 cm

Volume:
9120 L

Weight full:
10431 kg

Weight Empty:
1311 kg

Size category:
17

Hydrotherapy seating:
2 person

Prices from £29,999 inc VAT*

*Prices do not include steps, cover lifters, delivery or installation. Optional extras available. Please ask your local retailer for more information.



SWIMEXPERT 17



Shell dimension:
533.40 cm x 236.22 cm

Height:
133.98 cm

Volume:
9120 L

Weight full:
10431 kg

Weight empty:
1311 kg

Size category:
17

Hydrotherapy seating:
2 person

Prices from £34,699 inc VAT*

*Prices do not include steps, cover lifters, delivery or installation. Optional extras available. Please ask your local retailer for more information.



SWIMFIT 19DT



Shell dimension:

574.04 cm x 236.22 cm

Height:

133.99 cm

Volume:

7857 L

Weight full:

9672 kg

Weight empty:

1815 kg

Size category:

19

Hydrotherapy seating:

4 person

Prices from £37,599 inc VAT*



SWIMEXPERT 19DT



Shell dimension:

574.04 cm x 236.22 cm

Height:

133.99 cm

Volume:

7857 L

Weight full:

9672 kg

Weight empty:

1815 kg

Size category:

19

Hydrotherapy seating:

4 person

Prices from £42,299 inc VAT*



SIZE CATEGORY

SWIMFIT 14

SWIMEXPERT 14

DIMENSIONS (CM)	441.96 X 236.22 X 133.98	441.96 X 236.22 X 133.98
DRY WEIGHT (KG)	1149	1149
TOTAL FILLED WEIGHT (KG)	8369	8369
TOTAL FILLED VOLUME (LTRS)	7220	7220
PUMP 1	2 SPEED (3HP / 2.1KW)	2 SPEED (3HP / 2.1KW)
PUMP 2	1 SPEED (3HP / 2.9KW)	1 SPEED (3HP / 2.9KW)
PUMP 3	-	1 SPEED (3HP / 2.9KW)
PUMP 4	-	-
DUAL FILTRATION	2X 50SQ FT. FILTERS	2X 50SQ FT. FILTERS
DUAL SKIMMERS	2X SKIMMERS	2X SKIMMERS
DUAL STRAINER RACKS	2X STRAINERS	2X STRAINERS
WATER MANAGEMENT SYSTEM	CLEARBLUE MINERAL SYSTEM	CLEARBLUE MINERAL SYSTEM
PROGRAMMABLE FILTRATION CYCLES	YES	YES
ULTRA PURE OZONE SYSTEM	OPTIONAL	OPTIONAL
HYDROTHERAPY SEATING CAPACITY	2 PERSONS	2 PERSONS
PILLOWS	2	2
HIGH FLOW CORE STREAM SWIM JETS	1	1
HIGH FLOW AQUASTREAM SWIM JETS	2	NO
HIGH PERFORMANCE WIDE STREAM JETS	NO	2
BACK THERAPY JETS	11	12
LEG THERAPY JETS	2	4
ADJUSTABLE THIGH JETS	2	4
TOTAL THERAPY JETS	15	20
WAVE RIDER CONTROL SYSTEM	NO	YES
SWIMFALL WATERFALLS	3	3
SWIMLIFE WATERFALL LIGHTING	3	3
CORE STREAM JET LIGHTING	1	1
UNDERWATER LED SAFETY LIGHTING	5	5
24" STEEL BAR (SWIM END)	YES	YES
48" STEEL BAR (LEFT HAND SIDE)	OPTIONAL	OPTIONAL
STAINLESS STEEL HEATER	1X 3KW	1X 3KW
ADDITIONAL SLAVE PACK AND HEATER	OPTIONAL	YES
ELECTRICAL	230-240V 50HZ 32A	230-240V 50HZ 40A
NORTHERN HEAT SYNC BLANKET	YES	YES
STORMSHIELD HARD COVER	YES	YES
FLOATING SUMMER COVER WITH TIE DOWNS	OPTIONAL	OPTIONAL
HIGH TEMPERATURE SURFACE INSULATION	YES	YES
HEAT RETENTION SYSTEM	YES	YES
THERMALAX VENTS	5	5
POLARTEC INSULATED MATT	OPTIONAL	OPTIONAL
AUX HEATER BYPASS LOOP	OPTIONAL	OPTIONAL
AQUA FITNESS PACKAGE	YES	YES
AQUA ROWING KIT	OPTIONAL	OPTIONAL
SWIMSTREAM SOUND SYSTEM	OPTIONAL	OPTIONAL
SWIMSYNC APP	OPTIONAL	OPTIONAL
ACRYLIC COLOURS	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE
CABINET COLOURS	DRIFTWOOD, MIDNIGHT	DRIFTWOOD, MIDNIGHT

SIZE CATEGORY

SWIMFIT 17

SWIMEXPERT 17

DIMENSIONS (CM)	533.4 X 236.22 X 133.98	533.4 X 236.22 X 133.98
DRY WEIGHT (KG)	1311	1311
TOTAL FILLED WEIGHT (KG)	10431	10431
TOTAL FILLED VOLUME (LTRS)	9120	9120
PUMP 1	2 SPEED (3HP / 2.1KW)	2 SPEED (3HP / 2.1KW)
PUMP 2	1 SPEED (3HP / 2.9KW)	1 SPEED (3HP / 2.9KW)
PUMP 3	-	1 SPEED (3HP / 2.9KW)
PUMP 4	-	-
DUAL FILTRATION	2X 50SQ FT. FILTERS	2X 50SQ FT. FILTERS
DUAL SKIMMERS	2X SKIMMERS	2X SKIMMERS
DUAL STRAINER RACKS	2X STRAINERS	2X STRAINERS
WATER MANAGEMENT SYSTEM	CLEARBLUE MINERAL SYSTEM	CLEARBLUE MINERAL SYSTEM
PROGRAMMABLE FILTRATION CYCLES	YES	YES
ULTRA PURE OZONE SYSTEM	OPTIONAL	OPTIONAL
HYDROTHERAPY SEATING CAPACITY	2 PERSONS	2 PERSONS
PILLOWS	2	2
HIGH FLOW CORE STREAM SWIM JETS	1	1
HIGH FLOW AQUASTREAM SWIM JETS	2	NO
HIGH PERFORMANCE WIDE STREAM JETS	NO	2
BACK THERAPY JETS	11	12
LEG THERAPY JETS	2	4
ADJUSTABLE THIGH JETS	2	4
TOTAL THERAPY JETS	15	20
WAVE RIDER CONTROL SYSTEM	NO	YES
SWIMFALL WATERFALLS	3	3
SWIMLIFE WATERFALL LIGHTING	3	3
CORE STREAM JET LIGHTING	1	1
UNDERWATER LED SAFETY LIGHTING	5	5
24" STEEL BAR (SWIM END)	YES	YES
48" STEEL BAR (LEFT HAND SIDE)	OPTIONAL	OPTIONAL
STAINLESS STEEL HEATER	1X 3KW	1X 3KW
ADDITIONAL SLAVE PACK AND HEATER	OPTIONAL	YES
ELECTRICAL	230-240V 50HZ 32A	230-240V 50HZ 40A
NORTHERN HEAT SYNC BLANKET	YES	YES
STORMSHIELD HARD COVER	YES	YES
FLOATING SUMMER COVER WITH TIE DOWNS	OPTIONAL	OPTIONAL
HIGH TEMPERATURE SURFACE INSULATION	YES	YES
HEAT RETENTION SYSTEM	YES	YES
THERMALAX VENTS	5	5
POLARTEC INSULATED MATT	OPTIONAL	OPTIONAL
AUX HEATER BYPASS LOOP	OPTIONAL	OPTIONAL
AQUA FITNESS PACKAGE	YES	YES
AQUA ROWING KIT	OPTIONAL	OPTIONAL
SWIMSTREAM SOUND SYSTEM	OPTIONAL	OPTIONAL
SWIMSYNC APP	OPTIONAL	OPTIONAL
ACRYLIC COLOURS	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE
CABINET COLOURS	DRIFTWOOD, MIDNIGHT	DRIFTWOOD, MIDNIGHT

SIZE CATEGORY



SWIMFIT 19DT



SWIMEXPERT 19DT

DIMENSIONS (CM)	574.04 X 236.22 X 133.99	574.04 X 236.22 X 133.99
DRY WEIGHT (KG)	1815	1815
TOTAL FILLED WEIGHT (KG)	9672	9672
TOTAL FILLED VOLUME (LTRS)	7857	7857
PUMP 1	SWIM 2 SPEED (3HP / 2.1KW)	SWIM 2 SPEED (3HP / 2.1KW)
PUMP 2	SWIM 1 SPEED (3HP / 2.9KW)	SWIM 1 SPEED (3HP / 2.9KW)
PUMP 3	SPA 2 SPEED (3HP / 2.1KW)	SWIM 1 SPEED (3HP / 2.9KW)
PUMP 4	-	SPA 2 SPEED (3HP / 2.1KW)
DUAL FILTRATION	2X 50SQ FT. FILTERS	2X 50SQ FT. FILTERS
DUAL SKIMMERS	2X SKIMMERS	2X SKIMMERS
DUAL STRAINER RACKS	2X STRAINERS	2X STRAINERS
WATER MANAGEMENT SYSTEM	CLEARBLUE MINERAL SYSTEM	CLEARBLUE MINERAL SYSTEM
PROGRAMMABLE FILTRATION CYCLES	YES	YES
ULTRA PURE OZONE SYSTEM	OPTIONAL	OPTIONAL
HYDROTHERAPY SEATING CAPACITY	4 PERSONS	4 PERSONS
PILLOWS	2	2
HIGH FLOW CORE STREAM SWIM JETS	1	1
HIGH FLOW AQUASTREAM SWIM JETS	2	NO
HIGH PERFORMANCE WIDE STREAM JETS	NO	2
BACK THERAPY JETS	0	0
LEG THERAPY JETS	0	0
ADJUSTABLE THIGH JETS	2	4
TOTAL THERAPY JETS	37 (2 SWIMSPA / 35 HOT TUB)	39 (4 SWIMSPA / 35 HOT TUB)
WAVE RIDER CONTROL SYSTEM	NO	YES
SWIMFALL WATERFALLS	3	3
SWIMLIFE WATERFALL LIGHTING	3	3
CORE STREAM JET LIGHTING	1	1
UNDERWATER LED SAFETY LIGHTING	5	5
24" STEEL BAR (SWIM END)	YES	YES
48" STEEL BAR (LEFT HAND SIDE)	OPTIONAL	OPTIONAL
STAINLESS STEEL HEATER	(SWIM) 1X 3KW (SPA) 1X 3KW	(SWIM) 1X 3KW (SPA) 1 X 3KW
ADDITIONAL SLAVE PACK AND HEATER	OPTIONAL	YES
ELECTRICAL	230-240V 50HZ (SWIM) 40A (SPA) 20A	230-240V 50HZ (SWIM) 40A (SPA) 20A
NORTHERN HEAT SYNC BLANKET	YES	YES
STORMSHIELD HARD COVER	YES	YES
FLOATING SUMMER COVER WITH TIE DOWNS	OPTIONAL	OPTIONAL
HIGH TEMPERATURE SURFACE INSULATION	YES	YES
HEAT RETENTION SYSTEM	YES	YES
THERMALAX VENTS	5	5
POLARTEC INSULATED MATT	OPTIONAL	OPTIONAL
AUX HEATER BYPASS LOOP	OPTIONAL	OPTIONAL
AQUA FITNESS PACKAGE	YES	YES
AQUA ROWING KIT	OPTIONAL	OPTIONAL
SWIMSTREAM SOUND SYSTEM	OPTIONAL	OPTIONAL
SWIMSYNC APP	OPTIONAL	OPTIONAL
ACRYLIC COLOURS	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE	ALPINE MIST, QUARTZ MIST, PURE WHITE, SILVER MARBLE
CABINET COLOURS	DRIFTWOOD, MIDNIGHT	DRIFTWOOD, MIDNIGHT



Personalise your SwimLife™ swimspa

Shell options



Everlast cabinet options



Above ground installations never looked so good...

with a SwimLife™ cabinet in either one of two colours. Whether it is a stand alone swimspa or one built into a deck, the SwimLife™ swimspa is a perfect addition to any backyard.

Solid state frame

Perfect for any in-ground or indoor installation.

The solid state frame provides a sturdy framework for any customer to attach the decking or stone work material to finish the project.



SwimStream surround sound system

Swimspa's surround sound includes a waterproof MP3/Bluetooth integrated into the topside control. Proprietary circuits automatically prevent distortion at high volumes. With 180 watts total power, a custom EQ optimizes sound and automatically adjusts the various frequencies. Also includes a powerful 100W amplifier, 2 marine grade premium 3-way pop-up hydrosurround sound speakers and a powerful sub woofer. Use Bluetooth feature to sync with your device.



Galaxy lighting upgrade

This upgrade to LED lights offers strategically placed lighting that illuminate all of the top mounted control valves. They are brilliantly colored and sequenced through a range of colors when turned on or can be locked onto one preferred color. These lights are also complemented by LED lights that illuminate the waterfall jet(s) discreetly from behind.



Floating cover with tie downs

Keeping your swim spa warm and ready for spontaneous usage while conserving energy and staying secure to prevent unwanted debris from entering your swimspa.



SwimSync app

A smart phone app that is designed as a wireless swimspa control that allows you to pick the water care settings to suit your schedule, adjust filtration, temperature settings and create the ideal swimspa experience from any where in the world.

** May not be exactly as shown and smart phone not included.

Polartec insulated mat

This mat is placed on the concrete pad under the swimspa at the time of installation. It provides the ultimate insulated protection for the bottom of your swimspa.



Insulating safety hard cover

This hard cover option is made from durable marine grade vinyl, when installed in the closed position it completely seals the top of the swimspa for improved energy efficiency.



EZ ultra pure ozonator

When mixed with water, ozone is a highly effective oxidizer that assists in removing unwanted contaminants from the swimspa water.

Auxiliary heater by-pass loop

When your installation calls for an auxiliary heater, our swim spas can be built with special plumbing that will easily and reliably allow for addition of the heater. (Includes all of the required plumbing and a check valve for performance and safety)

Aquatic rowing kit

Is a combination of stainless steel oars and resistance bands that attach to swivel anchors allowing you to do the full rowing motion.

48" wall mounted exercise bars

These can be mounted within the interior of the swim spa and is intended to act as a stabilizing bar for stretching and various other activities. Alternately, the wall mounted exercise bar can be installed on nearby walls for safety purposes as well.

*These options are standard

Ask your dealer for more details regarding the options available

A woman with dark hair tied back is standing in a swimming pool, facing away from the camera. She is holding a red resistance band with both hands above her head. The band is attached to a metal ring and extends diagonally across the upper right portion of the frame. The pool's edge is visible in the background, and the water reflects the light. The overall mood is serene and focused.

Life is what
you make it

